

Banking Automation

LCDM - Low-cost Cash Dispensing Module

Features

- Low Cost and Mini Type Cash Dispenser (1,000Notes/Cash Cassette)
- 1, 2, 4 Denomination Available, Dispensing Speed 3.5 Notes/Sec
- High Reliability (Jam Rate: 10 ppm, Reject Rate: 0.5%)



MODEL	LCDM 1000
Denominatin	1
Dimension (mm)	310.2(D) × 225(H) × 266.7(W)
Access Type	Front Access
Dispensing Speed	3.5 notes/sec
Note Size	Height : 62mm~78mm Width : 100mm~162mm
Double Detect	Mechanical Type
Cassette Capacity	123mm pile of notes
Reject Tray Capacity	About 30 notes
Near-end Detection	About 10~30 notes
Pickup Type	Friction
Note thickness allowance	0.06~0.16mm
Interface	RS232C
Electricity	DC 24V, 3A



MODEL	LCDM 2000
Denominatin	2
Dimension (mm)	310.2(D) × 360(H) × 266.7(W)
Access Type	Front Access
Dispensing Speed	3.5 notes/sec
Note Size	Height : 62mm~78mm Width : 100mm~162mm
Double Detect	Mechanical Type
Cassette Capacity	123mm pile of notes/box
Reject Tray Capacity	About 30 notes
Near-end Detection	About 10~30 notes
Pickup Type	Friction
Note thickness allowance	0.06~0.16mm
Interface	RS232C
Electricity	DC 24V, 3A



MODEL	LCDM 4000
Denominatin	4
Dimension (mm)	310.2(D) × 618(H) × 266.7(W)
Access Type	Front Access
Dispensing Speed	4 notes/sec
Note Size	Height : 62mm~78mm Width : 100mm~162mm
Double Detect	Mechanical Type
Cassette Capacity	123mm pile of notes/box
Reject Tray Capacity	About 30 notes
Near-end Detection	About 10~30 notes
Pickup Type	Friction
Note thickness allowance	0.06~0.16mm
Interface	RS232C
Electricity	DC 24V, 3A

○ ECDM - Economic Cash Dispensing Module

Features

- 2000note / Cassette capability
- Security cassette & Reject cassette
- 1, 2, 4 Denomination Available
- User friendly setting



MODEL	ECDM 100 / 200 / 400
Denominatin	1 / 2 / 4
Dimension	420(D) × 225(H) × 270.5(W) (Adding 131mm height per one deno.)
Access Type	Front Access
Dispensing Speed	4 notes/sec
Note Size	Height : 62mm~78mm Width : 100mm~162mm
Double Notes Detection	Mechanical Type
Cassette Capacity	214mm pile of notes/box
Near-end Detection	About 50 notes
Feeding Type	Roller to Roller
Pickup Type	Friction + Reverse Roller
Note thickness allowance	0.06~0.16mm
Interface	RS232C
Electricity	DC 24V, 5A

Banking Automation

○ VCDM - Short-edge Cash Dispensing Module

Features

- Extendable to four cassettes (1, 2 or 4 Deno. Available)
- Roller to roller feeding, friction type pick-up and separation
- To detect doubled notes by Ultra Sonic Sensor
- User-friendly cash cassette & Easy maintenance
- Extraordinary compact and slim size



MODEL	VCDM 100 / 200 / 400
Denominatin	1 / 2 / 4
Dimension (mm)	169(W) ×550(H) ×349(D)
Speed	3.2 notes/sec (based on USD)
Reject Tray Capacity	App. 10~30 notes
Net Weight	8kg / 10kg / 13kg
Access Type	Front Access
Interface	RS232C
Voltage	DC 24V (±10%)
Current	Max 7 A for VCDM-400
Operation Temp.	5 °C~40 °C
Relative Humidity	20%~80% (RH)
Notes Available	Width : 120~165mm Height: 62~82mm Thickness: 0.06~0.2mm
Capacity	500 Notes per Cassette
Pick-up / Feeding	Friction Roller/Roller to Roller Type
Near-end	Optional (Disabled/Enabled : About 30~50 notes)